

DRILLING CONNECTIONS, LLC

Oilfield Equipment Rentals | Sales | Inspections

DRILL STRING RENTAL QUOTATION PACKAGE

Connection Types: DS40 | PACDS43 | PACDS50 | PACDS54

Contract Basis: 9 Months / 21 Days per Month

Date: June 24, 2026

Gary Haub — General Manager

gary.haub@drillingconnections.com

www.drillingconnections.com

DRILLING CONNECTIONS, LLC

Oilfield Equipment Rentals | Sales | Inspections
www.drillingconnections.com | gary.haub@drillingconnections.com

DRILL STRING RENTAL QUOTATION — DS40

Quote No. DS40-STRING-001

BILL TO:

ATTN:

RIG:

Date: June 24, 2026
Quote #: DS40-STRING-001
Expires: 30 Days from Issue
Contract Basis: 9 Months / 21 Days per Month
Sales Rep: Gary Haub

SECTION A — DRILL STRING RENTAL (FOOTAGE / PER DAY)				
L N	FOOTAGE / QTY	DESCRIPTION	UNIT RATE	DAY RATE
1	30,000 ft	4" IU 14.0 lbs/ft Grade S-135 Rg-2 DS40 Connection w/ Hard Banding on Box End		
2	50 joints	4" Heavy Weight Drill Pipe — DS40 Connection		
NOTE: Footage and pricing based on a 9-month contract at 21 days/month. 50% of rental paid may be applied toward purchase price.				
DRILL STRING SUB-TOTAL (PER DAY)				

SECTION B — SUPPORT TOOLS RENTAL (PER DAY)				
L N	QTY	DESCRIPTION	UNIT / DAY	LINE TOTAL
1	1	Tool Basket		undefined
2	2	DS40 Drill Pipe Elevator (250 Ton Bottleneck MGG)		undefined
3	2	Dulong Rotary Slip		undefined
4	1	Drill Collar Slip		undefined
5	2	Drill Collar Safety Clamp		undefined
6	2	DS40 Lower Kelly Valve with Wrench		undefined
7	2	DS40 10K Lower Kelly Valve with Wrench		undefined
8	1	DS40 10K Inside BOP with Releasing Tool		undefined
9	2	DS40 Stabbing Guide		undefined
10	1	DS40 Box x 4-1/2" REG Box BFF Bit Sub		undefined
11	3	DS40 Box x 6-5/8" REG Pin Crossover		undefined
12	3	DS40 Pin x NC40 Box Crossover		undefined
1	3	DS40 Box x NC50 Pin Crossover		undefined

3				
14	3	DS40 Pin Lift Cap with Eyes		undefined
15	1	DS40 Box Lift Cap with Eye		undefined
16	2	DS40 NC50 Box x Pin Short Top Drive Sub (Screen)		undefined
17	2	DS40 NC50 Box x Pin Short Top Drive Sub		undefined
18	1	DS40 Pump-In Sub		undefined
19	1	DS40 Side Entry Pump-In Sub		undefined
SUPPORT TOOLS SUB-TOTAL (PER DAY)				

SECTION C — OTHER CHARGES (AS INCURRED)				
L N	QTY	DESCRIPTION	UNIT RATE	ESTIMATED
1	Per Joint	Drill Pipe Re-Inspection Charge (per joint, as needed)		As Incurred
2	Per Item	Tool Re-Inspection Charge (per tool, as needed)		As Incurred
NOTE: Re-inspection charges billed on as-needed basis upon return. Cleaning required prior to re-deployment.				

RENTAL RATE SUMMARY	PER DAY (USD)	PER MONTH (21 DAYS)
Drill String Rental (30,000 ft DP + 50 joints HWDP)		\$NaN
Support Tools Rental		\$NaN
TOTAL RENTAL RATE		

PURCHASE OPTION: 50% of total rental paid may be applied toward the purchase price of upon exercise of purchase option.

AUTHORIZED BY: Gary Haub General Manager Drilling Connections, LLC Date: June 24, 2026	CUSTOMER ACCEPTANCE: Name: _____ Signature: _____ Title: _____ Date: _____
--	---

CONFIDENTIAL — For the exclusive use of the named recipient. Prices are estimates subject to final inspection and market conditions.

DRILLING CONNECTIONS, LLC

Oilfield Equipment Rentals | Sales | Inspections
www.drillingconnections.com | gary.haub@drillingconnections.com

DRILL STRING RENTAL QUOTATION — PACDS50

Quote No. PACDS50-STRING-001

BILL TO:

ATTN:

RIG:

Date: June 24, 2026
Quote #: PACDS50-STRING-001
Expires: 30 Days from Issue
Contract Basis: 9 Months / 21 Days per Month
Sales Rep: Gary Haub

SECTION A — DRILL STRING RENTAL (FOOTAGE / PER DAY)				
L N	FOOTAGE / QTY	DESCRIPTION	UNIT RATE	DAY RATE
1	30,000 ft	5" IEU 19.5 lbs/ft Grade S-135 Rg-2 PACDS50 Connection w/ Hard Banding on Box End		
2	50 joints	5" Heavy Weight Drill Pipe — PACDS50 Connection		
NOTE: Footage and pricing based on a 9-month contract at 21 days/month. 50% of rental paid may be applied toward purchase price.				
DRILL STRING SUB-TOTAL (PER DAY)				

SECTION B — SUPPORT TOOLS RENTAL (PER DAY)				
L N	QTY	DESCRIPTION	UNIT / DAY	LINE TOTAL
1	1	Tool Basket		undefined
2	2	PACDS50 Drill Pipe Elevator (250 Ton Bottleneck MGG)		undefined
3	2	Dulong Rotary Slip		undefined
4	1	Drill Collar Slip		undefined
5	2	Drill Collar Safety Clamp		undefined
6	2	PACDS50 Lower Kelly Valve with Wrench		undefined
7	2	PACDS50 10K Lower Kelly Valve with Wrench		undefined
8	1	PACDS50 10K Inside BOP with Releasing Tool		undefined
9	2	PACDS50 Stabbing Guide		undefined
10	1	PACDS50 Box x 4-1/2" REG Box BFF Bit Sub		undefined
11	3	PACDS50 Box x 6-5/8" REG Pin Crossover		undefined
12	3	PACDS50 Pin x NC40 Box Crossover		undefined
1	3	PACDS50 Box x NC50 Pin Crossover		undefined

3				
1 4	3	PACDS50 Pin Lift Cap with Eyes		undefined
1 5	1	PACDS50 Box Lift Cap with Eye		undefined
1 6	2	PACDS50 NC50 Box x Pin Short Top Drive Sub (Screen)		undefined
1 7	2	PACDS50 NC50 Box x Pin Short Top Drive Sub		undefined
1 8	1	PACDS50 Pump-In Sub		undefined
1 9	1	PACDS50 Side Entry Pump-In Sub		undefined
SUPPORT TOOLS SUB-TOTAL (PER DAY)				

SECTION C — OTHER CHARGES (AS INCURRED)				
L N	QTY	DESCRIPTION	UNIT RATE	ESTIMATED
1	Per Joint	Drill Pipe Re-Inspection Charge (per joint, as needed)		As Incurred
2	Per Item	Tool Re-Inspection Charge (per tool, as needed)		As Incurred
NOTE: Re-inspection charges billed on as-needed basis upon return. Cleaning required prior to re-deployment.				

RENTAL RATE SUMMARY	PER DAY (USD)	PER MONTH (21 DAYS)
Drill String Rental (30,000 ft DP + 50 joints HWDP)		\$NaN
Support Tools Rental		\$NaN
TOTAL RENTAL RATE		

PURCHASE OPTION: 50% of total rental paid may be applied toward the purchase price of upon exercise of purchase option.

AUTHORIZED BY: Gary Haub General Manager Drilling Connections, LLC Date: June 24, 2026	CUSTOMER ACCEPTANCE: Name: _____ Signature: _____ Title: _____ Date: _____
--	---

CONFIDENTIAL — For the exclusive use of the named recipient. Prices are estimates subject to final inspection and market conditions.

DRILLING CONNECTIONS, LLC

Oilfield Equipment Rentals | Sales | Inspections
www.drillingconnections.com | gary.haub@drillingconnections.com

DRILL STRING RENTAL QUOTATION — PACDS54

Quote No. PACDS54-STRING-001

BILL TO:

ATTN:

RIG:

Date: June 24, 2026
Quote #: PACDS54-STRING-001
Expires: 30 Days from Issue
Contract Basis: 9 Months / 21 Days per Month
Sales Rep: Gary Haub

SECTION A — DRILL STRING RENTAL (FOOTAGE / PER DAY)				
L N	FOOTAGE / QTY	DESCRIPTION	UNIT RATE	DAY RATE
1	30,000 ft	5-1/2" IEU 21.9 lbs/ft Grade S-135 Rg-2 PACDS54 Connection w/ Hard Banding on Box End		
2	50 joints	5-1/2" Heavy Weight Drill Pipe — PACDS54 Connection		
NOTE: Footage and pricing based on a 9-month contract at 21 days/month. 50% of rental paid may be applied toward purchase price.				
DRILL STRING SUB-TOTAL (PER DAY)				

SECTION B — SUPPORT TOOLS RENTAL (PER DAY)				
L N	QTY	DESCRIPTION	UNIT / DAY	LINE TOTAL
1	1	Tool Basket		undefined
2	2	PACDS54 Drill Pipe Elevator (250 Ton Bottleneck MGG)		undefined
3	2	Dulong Rotary Slip		undefined
4	1	Drill Collar Slip		undefined
5	2	Drill Collar Safety Clamp		undefined
6	2	PACDS54 Lower Kelly Valve with Wrench		undefined
7	2	PACDS54 10K Lower Kelly Valve with Wrench		undefined
8	1	PACDS54 10K Inside BOP with Releasing Tool		undefined
9	2	PACDS54 Stabbing Guide		undefined
10	1	PACDS54 Box x 4-1/2" REG Box BFF Bit Sub		undefined
11	3	PACDS54 Box x 6-5/8" REG Pin Crossover		undefined
12	3	PACDS54 Pin x NC40 Box Crossover		undefined
1	3	PACDS54 Box x NC50 Pin Crossover		undefined

3				
1 4	3	PACDS54 Pin Lift Cap with Eyes		undefined
1 5	1	PACDS54 Box Lift Cap with Eye		undefined
1 6	2	PACDS54 NC50 Box x Pin Short Top Drive Sub (Screen)		undefined
1 7	2	PACDS54 NC50 Box x Pin Short Top Drive Sub		undefined
1 8	1	PACDS54 Pump-In Sub		undefined
1 9	1	PACDS54 Side Entry Pump-In Sub		undefined
SUPPORT TOOLS SUB-TOTAL (PER DAY)				

SECTION C — OTHER CHARGES (AS INCURRED)				
L N	QTY	DESCRIPTION	UNIT RATE	ESTIMATED
1	Per Joint	Drill Pipe Re-Inspection Charge (per joint, as needed)		As Incurred
2	Per Item	Tool Re-Inspection Charge (per tool, as needed)		As Incurred
NOTE: Re-inspection charges billed on as-needed basis upon return. Cleaning required prior to re-deployment.				

RENTAL RATE SUMMARY	PER DAY (USD)	PER MONTH (21 DAYS)
Drill String Rental (30,000 ft DP + 50 joints HWDP)		\$NaN
Support Tools Rental		\$NaN
TOTAL RENTAL RATE		

PURCHASE OPTION: 50% of total rental paid may be applied toward the purchase price of upon exercise of purchase option.

AUTHORIZED BY: Gary Haub General Manager Drilling Connections, LLC Date: June 24, 2026	CUSTOMER ACCEPTANCE: Name: _____ Signature: _____ Title: _____ Date: _____
--	---

CONFIDENTIAL — For the exclusive use of the named recipient. Prices are estimates subject to final inspection and market conditions.

DRILLING CONNECTIONS, LLC

Oilfield Equipment Rentals | Sales | Inspections
www.drillingconnections.com | gary.haub@drillingconnections.com

DRILL STRING RENTAL QUOTATION — PACDS43

Quote No. CP43-STRING-001

BILL TO:
G&F Operating

ATTN:
Chris Tyler

RIG:
Lucky #7

Date: June 24, 2026
Quote #: CP43-STRING-001
Expires: 30 Days from Issue
Contract Basis: 9 Months / 21 Days per Month
Sales Rep: Gary Haub

SECTION A — DRILL STRING RENTAL (FOOTAGE / PER DAY)				
L N	FOOTAGE / QTY	DESCRIPTION	UNIT RATE	DAY RATE
1	30,000 ft	4-1/2" IEU 16.6 lbs/ft Grade S-135 Rg-2 PACDS43 Connection w/ Hard Banding on Box End		
2	50 joints	4-1/2" Heavy Weight Drill Pipe — PACDS43 Connection		
NOTE: Footage and pricing based on a 9-month contract at 21 days/month. 50% of rental paid may be applied toward purchase price.				
DRILL STRING SUB-TOTAL (PER DAY)				

SECTION B — SUPPORT TOOLS RENTAL (PER DAY)				
L N	QTY	DESCRIPTION	UNIT / DAY	LINE TOTAL
1	1	Tool Basket		undefined
2	2	PACDS43 Drill Pipe Elevator (250 Ton Bottleneck MGG)		undefined
3	2	Dulong Rotary Slip		undefined
4	1	Drill Collar Slip		undefined
5	2	Drill Collar Safety Clamp		undefined
6	2	PACDS43 Lower Kelly Valve with Wrench		undefined
7	2	PACDS43 10K Lower Kelly Valve with Wrench		undefined
8	1	PACDS43 10K Inside BOP with Releasing Tool		undefined
9	2	PACDS43 Stabbing Guide		undefined
10	1	PACDS43 Box x 4-1/2" REG Box BFF Bit Sub		undefined
11	3	PACDS43 Box x 6-5/8" REG Pin Crossover		undefined
12	3	PACDS43 Pin x NC40 Box Crossover		undefined
1	3	PACDS43 Box x NC50 Pin Crossover		undefined

3				
1 4	3	PACDS43 Pin Lift Cap with Eyes		undefined
1 5	1	PACDS43 Box Lift Cap with Eye		undefined
1 6	2	PACDS43 NC50 Box x Pin Short Top Drive Sub (Screen)		undefined
1 7	2	PACDS43 NC50 Box x Pin Short Top Drive Sub		undefined
1 8	1	PACDS43 Pump-In Sub		undefined
1 9	1	PACDS43 Side Entry Pump-In Sub		undefined
SUPPORT TOOLS SUB-TOTAL (PER DAY)				

SECTION C — OTHER CHARGES (AS INCURRED)				
L N	QTY	DESCRIPTION	UNIT RATE	ESTIMATED
1	Per Joint	Drill Pipe Re-Inspection Charge (per joint, as needed)		As Incurred
2	Per Item	Tool Re-Inspection Charge (per tool, as needed)		As Incurred
NOTE: Re-inspection charges billed on as-needed basis upon return. Cleaning required prior to re-deployment.				

RENTAL RATE SUMMARY	PER DAY (USD)	PER MONTH (21 DAYS)
Drill String Rental (30,000 ft DP + 50 joints HWDP)		\$NaN
Support Tools Rental		\$NaN
TOTAL RENTAL RATE		

PURCHASE OPTION: 50% of total rental paid may be applied toward the purchase price of upon exercise of purchase option.

AUTHORIZED BY: Gary Haub General Manager Drilling Connections, LLC Date: June 24, 2026	CUSTOMER ACCEPTANCE: Name: _____ Signature: _____ Title: _____ Date: _____
--	---

CONFIDENTIAL — For the exclusive use of the named recipient. Prices are estimates subject to final inspection and market conditions.

DRILLING CONNECTIONS, LLC

Oilfield Equipment Rentals | Sales | Inspections

TERMS AND CONDITIONS

Transportation	Customer is responsible for all transportation costs including freight, insurance, and applicable import/export fees.
Minimum Rental Period	A five (5) day minimum rental is required for all equipment. Twenty-four (24) hours or any part thereof constitutes one (1) rental day.
Rental Period	Commences on the day Equipment is picked up by Customer and terminates on the day the equipment is laid down, lost in hole, or confirmed lost by Customer.
Cleaning & Inspection	Cleaning and inspection are performed and billed for all drill pipe and support equipment upon return. BHA, tubulars, and support equipment must be rinsed and cleaned prior to return.
Equipment Condition	Customer shall return Equipment in the same condition as upon delivery, ordinary wear and tear excepted. Irreparable damage from sour/corrosive service results in full replacement cost charged to Customer.
Modifications	Any modifications to the equipment list will result in a corresponding increase or decrease in the per-day rental rate.
Availability	Prices reflect owned equipment and are subject to availability at time of delivery.
Purchase Option	50% of total rental amount paid may be applied against the purchase price upon exercise of the purchase option within the contract term.
Payment	Terms of payment are net thirty (30) days from invoice date. Interest charged at lesser of 18% per annum or maximum permitted by law on overdue balances. All rates exclusive of applicable taxes.
Holding Over	No holding over of leased Equipment permitted. Customer agrees to pay twice the daily rental rate for held-over Equipment until returned.
Insurance	Customer shall maintain adequate insurance covering the Equipment throughout the rental period at Customer's sole cost and expense.
General	These Terms and Conditions apply to all orders and constitute the entire agreement between the parties. Customer shall use Equipment in accordance with manufacturer specifications. Different or additional terms in Customer documents are specifically rejected. Equipment deemed accepted upon delivery unless written notice provided at time of delivery.

CONFIDENTIAL — For the exclusive use of the named recipient. Prices are estimates subject to final inspection and market conditions.

DESCRIPTION

PAC 43
35° PIN TOOL JOINT
5- $\frac{3}{8}$ " X 3" X 9" TONG

PRINT NO.


PAC43P5383009S

REVISION

00


SHEET

1 OF 1



NOTES:

1. Remove all sharp corners.
2. Threads must be free of burrs, chatter indication and abnormalities.
3. Materials Grade: 4130 M/ Equivalent
4. Minimum Yield Strength of material is 130,000 PSI.
5. Phosphate coat threads.
6. No forged surface permitted on finished machined surfaces.




TOLERANCES UNLESS OTHERWISE SPECIFIED			
.X	± 0.1		
.XX	± 0.03		
.XXX	± 0.010		
∠	± 1°		
BREAK ALL SHARP EDGES			
MACHINED SURFACE FINISH = .125/ MAX.			

APP. BY	DATE
USE: Machine	12/10/18
CHECKED BY	DATE
Calc: Machine	12/10/18

Copyrighted as an unpublished work. ALL RIGHTS RESERVED. This work contains the CONFIDENTIAL AND PROPRIETARY INFORMATION of NOVUS INOVA LLC. Neither this document nor any information disclosed herein shall be reproduced in any form, used, or disclosed to others for any purpose including manufacturing without the express written permission of NOVUS INOVA LLC.

CONFIDENTIAL




NOTES:


1. Remove sharp corners.
2. Threads must be free of burrs, chatter indication and abnormalities.
3. Lead Tolerance:
 - a. Over 4 total threads $\pm .0015$
 - b. Over total thread length ± 0.0025 or the sum of .001 for per inch within the total thread length, whichever is greater
4. Remove sharp corners of imperfect threads by machining.
5. Thread pull out shall be in lead.

APPROV. BY		Coin Package	DATE	02/28/18
CHCK'D BY		Coin Package	DATE	02/28/18
01	ECN#	003	06/19/18	
02	ECN#	001	02/28/18	
REV.	ECN#		DATE	
				
Copyrighted as an unpublished work. ALL RIGHTS RESERVED. This work contains the CONFIDENTIAL AND PROPRIETARY INFORMATION OF ONE SOURCE, PREC AND EQUIPMENT, however this document for any use is intended to be a general guide only. It is not to be used or disclosed to others for any purpose without the written permission of ONE SOURCE, PREC AND EQUIPMENT. The express written permission of ONE SOURCE, PREC AND EQUIPMENT.				
DIMEN. BY Information CP CHCK'D BY CP	DATE: 01/02/18 SCALE NONE	TOLERANCES UNLESS OTHERWISE SPECIFIED $.X \pm .1$ $.XX \pm .03$ $.XXX \pm .010$ $\angle \pm 1^\circ$ BREAK ALL SHARP EDGES MACHINED SURFACE FINISH = $\sqrt{25}$ / MAX.		
PTD-PAC43-1001		TITLE PAC43 PIN THREAD DETAIL		
SHEET 1 OF 1		REV. 02		


DESCRIPTION		
PAC43 BOX		
THREAD DETAIL		
PRINT NO.	REVISION	SHEET
BTD-PAC43-1002	01	1 OF 1



THREAD DETAIL



DETAIL A




NOTES:

1. Remove sharp corners.
2. Threads must be free of burrs, chatter indication and abnormalities.
3. Lead Tolerance:
 - a. Over 4 total threads ±.0015
 - b. Over total thread length ±0.0025 or the sum of .001 for per inch within the total thread length, whichever is greater
4. Remove sharp corners of imperfect threads by machining.
5. Thread pull out shall be in lead.
6. Gage Stand-in: Flush to 0.010".

NC-38 PIN THREAD DETAIL

DRILLING
CONNECTIONS
LLC

whichever is greater.




NC-38 BOX THREAD DETAIL	SHEET	REV.
-------------------------	-------	------

REV. 00

Page 10 of 10

1. Lead tolerance

- A. For four threads ± 0.0015 .
B. For total thread length ± 0.0045 or the sum of 0.001 for each inch within the total thread length, whichever is greater.



DETAIL A


4.086 ± 0.008
Benchmark dia.

C'bore dia.

0.125 $+0.000$
 -0.010

Bevel from bottom of counterbore

R0.06



per ft.

NOTES:

1. Cage flush to 0.010 below flush.
2. Thread pull-out shall be in lead.
3. Remove sharp corners from imperfect threads from start to full form thread by machining. The flat width not to exceed crest width.
4. Threads must be free of burrs, chatter indication and abnormalities.
5. Material: AISI 4137H For Tool joints & 4145M for Subs
6. Minimum Yield Strength of material to be 120,000 psi.
7. Phosphate coat threads.
8. No forged surfaces permitted on finished machined surfaces.

[illegible]


Copyrighted as an unpublished work. ALL RIGHTS RESERVED This work contains the CONFIDENTIAL AND PROPRIETARY INFORMATION OF ONE SOURCE PIPE AND EQUIPMENT Neither this document nor any information disclosed herein shall be reproduced in any form, used, or disclosed to others for any purpose including manufacturing without the express written permission of ONE SOURCE PIPE AND EQUIPMENT

TITLE
NC38 PIN X PAC43 BOX
5-3/8" OD X 2-1/8" ID 36" OAL
SAVER SUB

DWG. NO.
116A16B-101

SHEET
1 OF 1

REV.
00



NOTES:

1. Remove sharp corners.
2. Threads must be free of burrs, chatter indication and abnormalities.
3. Material Grade: AISI 4140/4142/4145 (M)
4. Minimum Yield Strength of material is 130,000 psi.
5. Phosphate coat threads.
6. No forged surfaces permitted on finished machined surfaces.
7. Die stamp markings with 1/4" steel stamps.

TOLERANCES UNLESS OTHERWISE SPECIFIED		
.X	± .1	
.XX	± .03	
.XXX	± .010	
∠ ± 1°		
BREAK ALL SHARP EDGES		
MACHINED SURFACE FINISH = 125 MAX.		

APP'D BY	DATE
Design	06/11/18
Check	06/11/18
Drawn	
ECN#	
DATE	
REV.	
ECN#	
DATE	
REVISIONS	
DATE	06/11/18
SCALE	NONE
DRAWN BY	CP
CHECKED BY	CP

Copyrighted as an unpublished work. ALL RIGHTS RESERVED. This work contains the CONFIDENTIAL AND PROPRIETARY INFORMATION of NOVUS INOVA LLC. Neither this document nor any information disclosed herein shall be reproduced in any form, used, or disclosed to others for any purpose including manufacturing without the express written permission of NOVUS INOVA LLC.

TITLE

CPC-43 PIN X CPC-43 BOX
6-3/4" OD X 5-3/8" OD X 3" ID 36" TONG

DWG. NO.


216B18A-103

SHEET

1 OF 1

REV.

00



NOTES:

1. Remove sharp corners.
2. Threads must be free of burrs, chatter indication and abnormalities.
3. Material Grade: AISI 4140/4142/4145 (M)
4. Minimum Yield Strength of material is 130,000 psi.
5. Phosphate coat threads.
6. No forged surfaces permitted on finished machined surfaces.
7. Die stamp markings with 1/4" steel stamps.

DRILLING
CONNECTIONS
LLC

TOLERANCES UNLESS OTHERWISE SPECIFIED	
.X	± .1
.XX	± .03
.XXX	± .010
± 1"	
BREAK ALL SHARP EDGES	
MACHINED SURFACE FINISH = $\sqrt{125}$ MAX.	

APPR BY		DATE	
Chris Pacheco		07/26/19	
CHKD BY		DATE	
Chris Pacheco		07/26/19	
REV.	ECN#	DATE	
REVISIONS			
DRAWN BY		DATE	
CP		07/26/19	
CHECKED BY		SCALE	
CP		NONE	